



**SAFETY DATA SHEET**  
FARECLA PROFILE PREMIUM LIQUID COMPOUND

**Page:** 1  
**Compilation date:** 01/09/2014  
**Revision date:** 24/04/2015  
**Revision No:** 2

**Section 1: Identification of the substance/mixture and of the company/undertaking**

**1.1. Product identifier**

**Product name:** FARECLA PROFILE PREMIUM LIQUID COMPOUND

**Product code:** PRL101, 106, 201

**1.2. Relevant identified uses of the substance or mixture and uses advised against**

**Use of substance / mixture:** PC31: Polishes and wax blends.

**1.3. Details of the supplier of the safety data sheet**

**Company name:** Farecla Products Limited

Broadmeads

Ware

Hertfordshire

SG12 9HS

UK

**Tel:** +44 (0)1920 465041

**Fax:** +44 (0)1920 466557

**Email:** technical@farecla.com

**1.4. Emergency telephone number**

**Emergency tel:** +44 (0)1920 465041

(office hours only)

**Section 2: Hazards identification**

**2.1. Classification of the substance or mixture**

**Classification under CLP:** Aquatic Chronic 3: H412; -: EUH208

**Most important adverse effects:** Contains pine oil, 1,2-benzisothiazolin-3-one. May produce an allergic reaction. Harmful to aquatic life with long lasting effects.

**2.2. Label elements**

**Label elements:**

**Hazard statements:** EUH208: Contains pine oil, 1,2-benzisothiazolin-3-one. May produce an allergic reaction.

H412: Harmful to aquatic life with long lasting effects.

**Precautionary statements:** P273: Avoid release to the environment.

P501: Dispose of contents/container to local specialized disposal company.

# SAFETY DATA SHEET

FARECLA PROFILE PREMIUM LIQUID COMPOUND

Page: 2

## 2.3. Other hazards

**PBT:** This product is not identified as a PBT/vPvB substance.

## Section 3: Composition/information on ingredients

### 3.2. Mixtures

#### Hazardous ingredients:

ALUMINIUM OXIDE - REACH registered number(s): 01-2119529248-35-XXXX

EINECS	CAS	PBT / WEL	CLP Classification	Percent
215-691-6	1344-28-1	Substance with a Community workplace exposure limit.	-	10-30%

HYDROCARBONS, C11-C14, N-ALKANES, ISOALKANES, CYCLICS, < 2% AROMATICS - REACH registered number(s): 01-2119456620-43-XXXX

926-141-6	-	-	Asp. Tox. 1: H304; -: EUH066	10-30%
-----------	---	---	------------------------------	--------

WHITE MINERAL OIL 68CPS - REACH registered number(s): 01-2119487078-27-XXXX

232-455-8	8042-47-5	Substance with a Community workplace exposure limit.	-	1-10%
-----------	-----------	--	---	-------

HYDROCARBONS, C10-C13, N-ALKANES, ISOALKANES, CYCLICS, AROMATICS (2-25%) - REACH registered number(s): 01-2119473977-17-XXXX

919-164-8	-	-	Asp. Tox. 1: H304; Aquatic Chronic 3: H412	1-10%
-----------	---	---	--	-------

HYDROCARBONS, C10, AROMATICS <1% NAPHTHALENE - REACH registered number(s): 01-2119463583-34-XXXX

918-811-1	-	-	STOT SE 3: H335; STOT SE 3: H336; Asp. Tox. 1: H304; Aquatic Chronic 2: H411	1-10%
-----------	---	---	--	-------

WHITE MINERAL OIL (PETROLEUM) - REACH registered number(s): 01-2119487078-27-XXXX

232-455-8	8042-47-5	Substance with a Community workplace exposure limit.	Asp. Tox. 1: H304	1-10%
-----------	-----------	--	-------------------	-------

HYDROCARBONS, C16-C20, N-ALKANES, ISOALKANES, CYCLICS, <2% AROMATICS - REACH registered number(s): 01-2119457735-29-0003

919-029-3	-	Substance with a Community workplace exposure limit.	Asp. Tox. 1: H304; -: EUH066	1-10%
-----------	---	--	------------------------------	-------

PINE OIL - REACH registered number(s): 01-2119553062-49-0005

232-268-1	8000-41-7	-	Flam. Liq. 3: H226; Skin Irrit. 2: H315; Skin Sens. 1: H317; Aquatic Chronic 2: H411; Eye Irrit. 2: H319; Asp. Tox. 1: H304	<1%
-----------	-----------	---	---	-----

## Section 4: First aid measures

[cont...]

**SAFETY DATA SHEET**  
FARECLA PROFILE PREMIUM LIQUID COMPOUND

Page: 3

**4.1. Description of first aid measures**

**Skin contact:** Wash immediately with plenty of soap and water.

**Eye contact:** Bathe the eye with running water for 15 minutes.

**Ingestion:** Wash out mouth with water.

**Inhalation:** Move to fresh air.

**4.2. Most important symptoms and effects, both acute and delayed**

**Skin contact:** There may be mild irritation at the site of contact.

**Eye contact:** There may be irritation and redness.

**Ingestion:** There may be irritation of the throat.

**Inhalation:** There may be irritation of the throat with a feeling of tightness in the chest.

**Delayed / immediate effects:** No data available.

**4.3. Indication of any immediate medical attention and special treatment needed**

**Immediate / special treatment:** Not applicable.

**Section 5: Fire-fighting measures**

**5.1. Extinguishing media**

**Extinguishing media:** Suitable extinguishing media for the surrounding fire should be used. Use water spray to cool containers.

**5.2. Special hazards arising from the substance or mixture**

**Exposure hazards:** In combustion emits toxic fumes.

**5.3. Advice for fire-fighters**

**Advice for fire-fighters:** Wear self-contained breathing apparatus. Wear protective clothing to prevent contact with skin and eyes.

**Section 6: Accidental release measures**

**6.1. Personal precautions, protective equipment and emergency procedures**

**Personal precautions:** Refer to section 8 of SDS for personal protection details. Turn leaking containers leak-side up to prevent the escape of liquid.

**6.2. Environmental precautions**

**Environmental precautions:** Do not discharge into drains or rivers. Contain the spillage using bunding.

**6.3. Methods and material for containment and cleaning up**

**Clean-up procedures:** Absorb into dry earth or sand. Transfer to a closable, labelled salvage container for disposal by an appropriate method.

**6.4. Reference to other sections**

**Reference to other sections:** Refer to section 8 of SDS.

[cont...]

# SAFETY DATA SHEET

FARECLA PROFILE PREMIUM LIQUID COMPOUND

Page: 4

## Section 7: Handling and storage

### 7.1. Precautions for safe handling

**Handling requirements:** Ensure there is sufficient ventilation of the area.

### 7.2. Conditions for safe storage, including any incompatibilities

**Storage conditions:** Store in a cool, well ventilated area. Keep container tightly closed.

**Suitable packaging:** Not applicable.

### 7.3. Specific end use(s)

**Specific end use(s):** PC31: Polishes and wax blends.

## Section 8: Exposure controls/personal protection

### 8.1. Control parameters

**Hazardous ingredients:**

#### ALUMINIUM OXIDE

**Workplace exposure limits:**

**Respirable dust**

State	8 hour TWA	15 min. STEL	8 hour TWA	15 min. STEL
UK	-	-	5mg/m3	-

#### HYDROCARBONS, C11-C14, N-ALKANES, ISOALKANES, CYCLICS, < 2% AROMATICS

EU	1200mg/m3, 165ppm	-	-	-
----	-------------------	---	---	---

#### WHITE MINERAL OIL 68CPS

EU	5 mg/m3	-	-	-
----	---------	---	---	---

#### HYDROCARBONS, C10-C13, N-ALKANES, ISOALKANES, CYCLICS, AROMATICS (2-25%)

EU	10ppm, 50mg/m3	-	-	-
----	----------------	---	---	---

#### HYDROCARBONS, C10, AROMATICS <1% NAPHTHALENE

EU	10 ppm, 50 mg/m3	-	-	-
----	------------------	---	---	---

#### WHITE MINERAL OIL (PETROLEUM)

EU	5 mg/m3	-	-	-
----	---------	---	---	---

#### HYDROCARBONS, C16-C20, N-ALKANES, ISOALKANES, CYCLICS, <2% AROMATICS

EU	5 mg/m	-	-	-
----	--------	---	---	---

#### PINE OIL

EU	25 ppm, 140 mg/m3	50 ppm, 300 mg/m3	-	-
----	-------------------	-------------------	---	---

### DNEL/PNEC Values

**DNEL / PNEC** No data available.

### 8.2. Exposure controls

**Engineering measures:** Ensure there is sufficient ventilation of the area.

[cont...]

# SAFETY DATA SHEET

## FARECLA PROFILE PREMIUM LIQUID COMPOUND

Page: 5

**Respiratory protection:** When workers are facing concentrations above the exposure limit they must use appropriate certified respirators.

**Hand protection:** Protective gloves.

**Eye protection:** Safety glasses. Ensure eye bath is to hand.

**Skin protection:** Protective clothing.

**Environmental:** Refer to specific Member State legislation for requirements under Community environmental legislation.

### Section 9: Physical and chemical properties

#### 9.1. Information on basic physical and chemical properties

**State:** Liquid

**Colour:** White

**Odour:** Characteristic odour

**Evaporation rate:** Negligible

**Oxidising:** Non-oxidising (by EC criteria)

**Solubility in water:** Slightly soluble

**Also soluble in:** No data available

**Viscosity:** Viscous

**Kinematic viscosity:** 20,000

**Viscosity test method:** Brookfield @ 20degC

**Boiling point/range°C:** Not Available

**Flammability limits %: lower:** Not Available

**Flash point°C:** >93

**Autoflammability°C:** Not Available

**Relative density:** 1.150

**VOC g/l:** 266

**Melting point/range°C:** Not Available

**upper:** Not Available

**Part.coeff. n-octanol/water:** Not Available

**Vapour pressure:** Not Available

**pH:** 7 - 8

#### 9.2. Other information

**Other information:** Not applicable.

### Section 10: Stability and reactivity

#### 10.1. Reactivity

**Reactivity:** Stable under recommended transport or storage conditions.

#### 10.2. Chemical stability

**Chemical stability:** Stable under normal conditions.

#### 10.3. Possibility of hazardous reactions

**Hazardous reactions:** Hazardous reactions will not occur under normal transport or storage conditions. Decomposition may occur on exposure to conditions or materials listed below.

[cont...]

**SAFETY DATA SHEET**  
FARECLA PROFILE PREMIUM LIQUID COMPOUND

Page: 6

**10.4. Conditions to avoid**

**Conditions to avoid:** Heat.

**10.5. Incompatible materials**

**Materials to avoid:** Strong oxidising agents. Strong acids.

**10.6. Hazardous decomposition products**

**Haz. decomp. products:** In combustion emits toxic fumes.

**Section 11: Toxicological information**

**11.1. Information on toxicological effects**

**Hazardous ingredients:**

**ALUMINIUM OXIDE**

DUST/MIST	RAT	LC50	7.6	mg/l
ORAL	RAT	LD50	> 2000	mg/kg

**HYDROCARBONS, C11-C14, N-ALKANES, ISOALKANES, CYCLICS, < 2% AROMATICS**

DERMAL	RBT	LD50	> 5000	mg/kg
ORAL	RAT	LD50	> 5000	mg/kg
VAPOURS	RAT	8H LC50	> 5000	mg/l

**WHITE MINERAL OIL 68CPS**

IHL	RAT	LC50	5200	mg/m3
ORL	RAT	LD50	5000	mg/kg
SKN	RBT	LD50	2000	mg/kg

**HYDROCARBONS, C10-C13, N-ALKANES, ISOALKANES, CYCLICS, AROMATICS (2-25%)**

DERMAL	RBT	LD50	>2000	mg/kg
ORAL	RAT	LD50	>5000	mg/kg
VAPOURS	RAT	4H LD50	>13.1	mg/l

**HYDROCARBONS, C10, AROMATICS <1% NAPHTHALENE**

DERMAL	RBT	LD50	>2000	mg/kg
GASES	RAT	4H LC50	>4688	mg/l
ORAL	RAT	LD50	>5000	mg/kg

**HYDROCARBONS, C16-C20, N-ALKANES, ISOALKANES, CYCLICS, <2% AROMATICS**

DERMAL	RBT	LD50	>3160	mg/kg
--------	-----	------	-------	-------

[cont...]

# SAFETY DATA SHEET

## FARECLA PROFILE PREMIUM LIQUID COMPOUND

Page: 7

ORAL	RAT	LD50	>5000	mg/kg
VAPOURS	RAT	4H LC50	>5266	mg/l

### PINE OIL

DERMAL	RBT	LD50	> 2000	mg/kg
ORAL	RAT	LD50	> 2000	mg/kg
VAPOURS	RAT	4H LC50	4.76	mg/l

**Toxicity values:** No data available.

### Symptoms / routes of exposure

**Skin contact:** There may be mild irritation at the site of contact.

**Eye contact:** There may be irritation and redness.

**Ingestion:** There may be irritation of the throat.

**Inhalation:** There may be irritation of the throat with a feeling of tightness in the chest.

**Delayed / immediate effects:** No data available.

**Other information:** Not applicable.

## Section 12: Ecological information

### 12.1. Toxicity

#### Hazardous ingredients:

##### ALUMINIUM OXIDE

Daphnia magna	48H EC50	> 100	mg/l
GREEN ALGA (Selenastrum capricornutum)	48H EC50	> 100	mg/l
Salmo trutta	96H LC50	> 100	mg/l

##### HYDROCARBONS, C11-C14, N-ALKANES, ISOALKANES, CYCLICS, < 2% AROMATICS

Daphnia magna	48H EC50	1000	mg/l
Pseudokirchneriella subcapitata	72H ErC50	1000	mg/l
RAINBOW TROUT (Oncorhynchus mykiss)	96H LC50	1000	mg/l

##### HYDROCARBONS, C10-C13, N-ALKANES, ISOALKANES, CYCLICS, AROMATICS (2-25%)

ALGAE	72H EL50	50 - 100	mg/l
Daphnia magna	48H EL50	10 - 22	mg/l
RAINBOW TROUT (Oncorhynchus mykiss)	96H LL50	10 - 100	mg/l

##### HYDROCARBONS, C10, AROMATICS <1% NAPHTHALENE

ALGAE	72H ErC50	11	mg/l
-------	-----------	----	------

[cont...]

**SAFETY DATA SHEET**  
FARECLA PROFILE PREMIUM LIQUID COMPOUND

Page: 8

Daphnia magna	48H EC50	3 - 10	mg/l
RAINBOW TROUT (Oncorhynchus mykiss)	96H LC50	2 - 5	mg/l

**HYDROCARBONS, C16-C20, N-ALKANES, ISOALKANES, CYCLICS, <2% AROMATICS**

FISH	96H LC50	1028	mg/l
Invertebrate	48H EC50	>3000	mg/l
MARINE ALGAE (Skeletonema costatum)	72H ErC50	3198	mg/l

**PINE OIL**

ALGAE	72H ErC50	68	mg/l
Daphnia magna	48H EC50	73	mg/l
FISH	96H LC50	>62	mg/l

**12.2. Persistence and degradability**

**Persistence and degradability:** Biodegradable. More than 80% biodegradable according to OECD 301 (calculated).

**12.3. Bioaccumulative potential**

**Bioaccumulative potential:** No bioaccumulation potential.

**12.4. Mobility in soil**

**Mobility:** Readily absorbed into soil.

**12.5. Results of PBT and vPvB assessment**

**PBT identification:** This product is not identified as a PBT/vPvB substance.

**12.6. Other adverse effects**

**Other adverse effects:** Harmful to aquatic life with long lasting effects.

**Section 13: Disposal considerations**

**13.1. Waste treatment methods**

**Disposal operations:** Transfer to a suitable container and arrange for collection by specialised disposal company.

**Recovery operations:** Not applicable.

**Waste code number:** 08 04 12

**Disposal of packaging:** Dispose of as normal industrial waste.

**NB:** The user's attention is drawn to the possible existence of regional or national regulations regarding disposal.

**Section 14: Transport information**

**Transport class:** This product does not require a classification for transport.

**Section 15: Regulatory information**

[cont...]



## SAFETY DATA SHEET

FARECLA PROFILE PREMIUM LIQUID COMPOUND

Page: 9

### 15.1. Safety, health and environmental regulations/legislation specific for the substance or mixture

**Specific regulations:** Not applicable.

### 15.2. Chemical Safety Assessment

**Chemical safety assessment:** A chemical safety assessment has not been carried out for the substance or the mixture by the supplier.

## Section 16: Other information

### Other information

**Other information:** This safety data sheet is prepared in accordance with Commission Regulation (EU) No 2015/830.

\* indicates text in the SDS which has changed since the last revision.

**Phrases used in s.2 and s.3:** EUH066: Repeated exposure may cause skin dryness or cracking.  
EUH208: Contains <name of sensitising substance>. May produce an allergic reaction.  
H226: Flammable liquid and vapour.  
H304: May be fatal if swallowed and enters airways.  
H315: Causes skin irritation.  
H317: May cause an allergic skin reaction.  
H319: Causes serious eye irritation.  
H335: May cause respiratory irritation.  
H336: May cause drowsiness or dizziness.  
H411: Toxic to aquatic life with long lasting effects.  
H412: Harmful to aquatic life with long lasting effects.

**Legal disclaimer:** The above information is believed to be correct but does not purport to be all inclusive and shall be used only as a guide. This company shall not be held liable for any damage resulting from handling or from contact with the above product.